EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	18	(multicast same (unrestricted near "3" access$3)) and (frame with port with slot) and (DSL LAN) and (switch router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:02
L5	0	(multicast same (unrestricted near3 access$3)) and (frame with port with slot) and (DSL LAN) and (switch router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:04
L6	0	(multicast same (((unrestricted unlimited) near3 access$3) (super$user))) and (frame with port with slot) and (DSL LAN) and (switch router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:05
L7	7	(multicast same (((unrestricted unlimited) near3 access$3) (super$user)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:05
L8	0	(super$user) and (frame with port with slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:09
L9	25	dsl and ((frame and port and slot) near2 number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:14
L10	19	dsl and ((frame and port and slot) near2 number) and multicast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:15
L11	2	dsl and ((frame with port with slot) near2 number) and multicast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:15

L12	73	address with (frame with slot with port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:17
L13	1	address with (frame with slot with port) with multicast	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:17
L14	1	address with (frame with slot with port) with multicast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:17
L15	1	address with (frame with slot with port) same multicast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:17
L16	1	(address with (frame with slot with port)) same multicast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:17
L17	9	(address with (frame with slot with port)) and multicast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:18
L18	68	(switch with (frame with slot with port)) and multicast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:20
L19	10	(switch with (frame with slot with port)) and dsl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:20
L20	10	(switch same (frame with slot with port)) and dsl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:21

L21	12	(frame adj number) same (port adj number) same (slot adj number)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:22
L22	2	(frame adj id) same (port adj id) same (slot adj id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:23
L23	315	(frame with slot with port with (switch))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:24
L24	1	(frame with slot with port with (switch)) same (LAN DSL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:25
L25	75	(frame with slot with port with (switch)) and (LAN DSL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:25
L26	3	(frame with slot with port with (switch) with address$3) and (LAN DSL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:28
L27	1	(frame with slot with port with (switch) with user) and (LAN DSL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:29
L28	0	(frame with slot with port with (switch) with termeinal) and (LAN DSL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:29
L29	0	(frame with slot with port with (switch) with terminal) and (LAN DSL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:29

L30	0	(frame with slot with port with (switch) with client) and (LAN DSL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:29
L31	22	((frame with slot with port with (message packet)) and (LAN DSL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:31
L32	0	frame same port same slot same (LAN DSL) same switch$3 same multicast$3 same (packet message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:34
L33	12	frame same port same slot same switch$3 same multicast$3 same (packet message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:34
L34	75	frame with port with slot with packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:36
L35	2	frame with port with slot with packet with multicast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/27 09:36
L38	0	370/230,252,253,310,360,389,390,392,395.1,395.21,395.31,395.52,395.53,400,40 "8,420,471,473,474,475".ccls.	US-PGPUB; USPAT	OR	OFF	2009/02/27 10:25
L39	27374	370/230,252,253,310,360,389,390,392,395.1,395.21,395.31,395.52,395.53,400,408,420,471,473,474,475.ccls.	US-PGPUB; USPAT	OR	OFF	2009/02/27 10:25
L40	9	4 and 39	US-PGPUB; USPAT	OR	OFF	2009/02/27 10:26
L41	20	25 and 39	US-PGPUB; USPAT	OR	OFF	2009/02/27 10:26
S1	0	"10590375"	USPAT	OR	OFF	2009/02/26 11:28
S2	1	"10590375"	US-PGPUB; USPAT	OR	OFF	2009/02/26 11:28
S3	1	"6330238".pn.	US-PGPUB; USPAT	OR	OFF	2009/02/26 11:58
S4	0	"2003231629"	US-PGPUB; USPAT	OR	OFF	2009/02/26 11:59
S5	2	"20030231629"	US-PGPUB; USPAT	OR	OFF	2009/02/26 11:59

S6	0	"2004172559"	US-PGPUB; USPAT	OR	OFF	2009/02/26 12:00
S7	1	"20040172559"	US-PGPUB; USPAT	OR	OFF	2009/02/26 12:00
S8	257	"5956716"	US-PGPUB; USPAT	OR	OFF	2009/02/26 12:01
S9	1	"5956716".pn.	US-PGPUB; USPAT	OR	OFF	2009/02/26 12:02
S10	1	"20050091313"	US-PGPUB; USPAT	OR	OFF	2009/02/26 12:02
S11	1273	((map mapping mapped) with multicast$3) same (user authoriz$5 address$3 authorit$3 group)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:24
S12	7	((map mapping mapped) with multicast$3) same (user and (authoriz$5 authorit$3) and address$3 and group)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:24
S13	13	((map mapping mapped) with multicast$3) same (user and (authoriz$5 authorit$3) and address$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:26
S14	44	((map mapping mapped) with multicast$3 with user with group)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:27
S15	172	(preset$4) with multicast$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:38
S16	32	(preset$4) with multicast$3 with address$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:38
S17	0	(preset$4) with multicast$3 with address$3 with mapp$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:41

S18	0	(preset$4) with multicast$3 with address$3 with map$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:41
S19	1	((preset$4) with multicast$3 with address$3) same map$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:42
S20	3	(((access adj control adj list) ACL) with multicast$3 with address$3) same map$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:44
S21	4	(multicast$3 with address$3) same map$3 same ((access adj control adj list) ACL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:46
S22	1	(multicast$3 with address$3) same preset$4 same ((access adj control adj list) ACL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:46
S23	34	(multicast$3 with address$3) same ((access adj control adj list) ACL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:47
S24	26	(multicast$3 with address$3) with ((access adj control adj list) ACL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:47
S25	0	"2001023487"	US-PGPUB; USPAT	OR	OFF	2009/02/26 14:09
S26	2	"20010023487"	US-PGPUB; USPAT	OR	OFF	2009/02/26 14:09
S27	9	(US-20030231629-$ or US-20070253409-$ or US-20050091313-$ or US-20030073453-$ or US-20030157933-$ or US-20070115975-$).did. or (US-6330238-$ or US-5956716-$ or US-7200865-$).did.	US-PGPUB; USPAT	OR	OFF	2009/02/26 14:12
S30	5	S27 and (request$3 with join$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:13

S31	3	S27 and (receiv$3 with request$3 with join$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:26
S32	2434	(receiv$3 with request$3 with join$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:33
S33	547	(receiv$3 with request$3 with join$3 with multicast$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:33
S34	95	receiv$3 with request$3 with join$3 with multicast$3 with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:34
S35	64	receiv$3 with request$3 with join$3 with multicast$3 with user with group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:34
S36	10	obtain$3 with request$3 with join$3 with multicast$3 with user with group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:39
S37	137	receiv$3 with request$3 with join$3 with multicast$3 with packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:40
S38	98	receiv$3 with request$3 with join$3 with multicast$3 with packet with group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 14:41

2/27/2009 10:26:46 AM
C:\Documents and Settings\belliott\My Documents\EAST\Workspaces\10590375.wsp